CHEMISTRY STUDY MATERIALS FOR CLASS 10 (MCQ based on: Carbon and its compounds) GANESH KUMAR DATE:- 05/07/2020

Bond:- The force by which atoms are held together in a molecule is called bond

Difficulty of Carbon to Form a Stable Ion

Four of its valence electrons, a huge amount of energy is involved. C^{4+} ion hence formed will to achieve the electronic configuration of nearest noble gas, He, if the carbon atom loses be highly unstable due to the presence of six protons and two electrons.

The noble gas, Ne, C⁴⁻ ion will be formed. But again, a huge amount of energy is required. If the carbon atom gains four electrons to achieve the nearest electronic configuration of Moreover, in C⁴⁺ ion it is difficult for 6 protons to hold 10 electrons. Hence, to satisfy its tetravalency, carbon shares all four of its valence electrons and forms covalent bonds.

Ionic Bond

lonic bonding involves the transfer of valence electron (s), primarily between a metal and a nonmetal. The electrostatic attractions between the oppositely charged ions hold the compound together.

lonic compounds:


- 1. Are usually crystalline solids (made of ions)
- 2. Have high melting and boiling points
- 3. Conduct electricity when melted
- 4. Are mostly soluble in water and polar solvents

Covalent Bond

A covalent bond is formed when pairs of electrons are shared between two atoms. It is primarily formed between two same nonmetallic atoms or between different nonmetallic atoms with similar electronegativity.

Lewis Dot Structure

Lewis structures are also known as Lewis dot structures or electron dot structures. These are basically diagrams with the element's symbol in the centre. The dots around it represent the valence electrons of the element.



Lewis structures of elements with atomic number 5-8

Covalent Bonding in H2, N2 and O2

Formation of a single bond in a hydrogen molecule:

Each hydrogen atom has a single electron in the valence shell. It requires one more to acquire nearest noble gas configuration (He).

Therefore, both the atoms share one electron each and form a single bond.

$$\mathbf{H} \bullet + \bullet \mathbf{H} \longrightarrow \mathbf{H} \bullet \mathbf{H} \longrightarrow \mathbf{H} \bullet \mathbf{H}$$

Formation of a double bond in an oxygen molecule:

Each oxygen atom has six electrons in the valence shell (2, 6). It requires two electrons to acquire nearest noble gas configuration (Ne).

Therefore, both the atoms share two electrons each and form a double bond.

$$\mathbf{\dot{O}} + \mathbf{\dot{O}} \rightarrow \mathbf{\dot{O}} \rightarrow \mathbf{O} = \mathbf{O}$$

FORMATION OF TRIPLE BOND IN A NITROGEN MOLECULE

Each nitrogen atom has five electrons in the valence shell (2, 5). It requires three electrons to acquire nearest noble gas configuration (Ne).

Therefore, both atoms share three electrons each and form a triple bond.

$$\bullet \overset{\bullet}{\mathbf{N}} \bullet + \bullet \overset{\bullet}{\mathbf{N}} \overset{\bullet}{\mathbf{N}} \longrightarrow \overset{\bullet}{\mathbf{N}} \overset{\bullet}{\mathbf{N} \overset{\bullet}{\mathbf{N}} \overset{\bullet}{\mathbf{N}}$$

Single, Double and Triple Bonds and Their Strengths

A single bond is formed between two atoms when two electrons are shared between them, i.e., one electron from each participating atom.

It is depicted by a single line between the two atoms.

A double bond is formed between two atoms when four electrons are shared between them, i.e., one pair of electrons from each participating atom. It is depicted by double lines between the two atoms.

A triple bond is formed between two atoms when six electrons are shared between them, i.e., two pairs of electrons from each participating atom. It is depicted by triple lines between the two atoms.