VIDYA BHAWAN BALIKA VIDYA PITH शक्तिउत्थानआश्रमलखीसरायबिहार

Class :-11(Maths)

Date:- 13.01.2021

Expand each of the expressions in Exercises 1 to 5.

1. (1 − 2x)⁵

Solution:

From binomial theorem expansion we can write as

$$(1 - 2x)^{5}$$

$$= {}^{5}C_{\circ}(1)^{5} - {}^{5}C_{1}(1)^{4}(2x) + {}^{5}C_{2}(1)^{3}(2x)^{2} - {}^{5}C_{3}(1)^{2}(2x)^{3} + {}^{5}C_{4}(1)^{1}(2x)^{4} - {}^{5}C_{5}(2x)^{5}$$

$$= 1 - 5(2x) + 10(4x)^{2} - 10(8x^{3}) + 5(16x^{4}) - (32x^{5})$$

$$= 1 - 10x + 40x^{2} - 80x^{3} + 80x^{4} - 32x^{5}$$

2.
$$\left(\frac{2}{x} - \frac{x}{2}\right)^2$$

Solution:

From binomial theorem, given equation can be expanded as

$$\begin{pmatrix} \frac{2}{x} - \frac{x}{2} \end{pmatrix}^5 = {}^5 \operatorname{C}_0 \left(\frac{2}{x}\right)^3 - {}^5 \operatorname{C}_1 \left(\frac{2}{x}\right)^4 \left(\frac{x}{2}\right) + {}^5 \operatorname{C}_2 \left(\frac{2}{x}\right)^3 \left(\frac{x}{2}\right)^2 \\ - {}^3 \operatorname{C}_3 \left(\frac{2}{x}\right)^2 \left(\frac{x}{2}\right)^3 + {}^3 \operatorname{C}_4 \left(\frac{2}{x}\right) \left(\frac{x}{2}\right)^4 - {}^3 \operatorname{C}_5 \left(\frac{x}{2}\right)^5 \\ = \frac{32}{x^5} - 5 \left(\frac{16}{x^4}\right) \left(\frac{x}{2}\right) + 10 \left(\frac{8}{x^3}\right) \left(\frac{x^2}{4}\right) - 10 \left(\frac{4}{x^2}\right) + 5 \left(\frac{2}{x}\right) \left(\frac{x^4}{16}\right) - \frac{x^5}{32} \\ = \frac{32}{x^5} - \frac{40}{x^3} + \frac{20}{x} - 5x + \frac{5}{8}x^3 - \frac{x^3}{32}$$

3. (2x - 3)⁶

Solution:

From binomial theorem, given equation can be expanded as

$$\begin{aligned} &(2x-3)^6 = {}^6\text{ C}_0(2x)^6 - {}^6\text{ C}_1(2x)^5(3) + {}^6\text{ C}_1(2x)^4(3)^2 - {}^4\text{ C}_3(2x)^3(3)^3 \\ &= 64x^6 - 6\left(32x^5\right)(3) + 15\left(16x^4\right)(9) - 20\left(8x^3\right)(27) \\ &+ 15\left(4x^2\right)(81) - 6(2x)(243) + 729 \\ &= 64x^6 - 576x^5 + 2160x^4 - 4320x^3 + 4860x^2 - 2916x + 729 \\ &4.\left(\frac{x}{3} + \frac{1}{x}\right)^5 \end{aligned}$$

Solution:

From binomial theorem, given equation can be expanded as

$$\left(\frac{x}{3} + \frac{1}{x}\right)^5 = {}^5 C_0 \left(\frac{x}{3}\right)^5 + {}^3 C_1 \left(\frac{x}{3}\right)^4 \left(\frac{1}{x}\right) + {}^3 C_2 \left(\frac{x}{3}\right)^3 \left(\frac{1}{x}\right)^2$$

$$= \frac{x^5}{243} + 5 \left(\frac{x^4}{81}\right) \left(\frac{1}{x}\right) + 10 \left(\frac{x^3}{27}\right) \left(\frac{1}{x^2}\right) + 10 \left(\frac{x^2}{9}\right) \left(\frac{1}{x^3}\right) + 5 \left(\frac{x}{3}\right) \left(\frac{1}{x^4}\right) + \frac{1}{x^5}$$

$$= \frac{x^5}{243} + \frac{5x^3}{81} + \frac{10x}{27} + \frac{10}{9x} + \frac{5}{3x^3} + \frac{1}{x^3}$$

$$5. \left(x + \frac{1}{x}\right)^6$$

Solution:

From binomial theorem, given equation can be expanded as

$$\begin{split} \left(\mathbf{x} + \frac{1}{\mathbf{x}}\right)^6 &= {}^6 \operatorname{C_0}(\mathbf{x})^6 + {}^6 \operatorname{C_1}(\mathbf{x})' \left(\frac{1}{\mathbf{x}}\right) + {}^6 \operatorname{C_2}(\mathbf{x})^4 \left(\frac{1}{\mathbf{x}}\right)^2 \\ &+ {}^6 \operatorname{C_3}(\mathbf{x})^3 \left(\frac{1}{\mathbf{x}}\right)^3 + {}^6 \operatorname{C_4}(\mathbf{x})^2 \left(\frac{1}{\mathbf{x}}\right)^4 + {}^6 \operatorname{C_3}(\mathbf{x}) \left(\frac{1}{\mathbf{x}}\right)^5 + {}^6 \operatorname{C_6}\left(\frac{1}{\mathbf{x}}\right)^6 \\ &= \mathbf{x}^4 + 6(\mathbf{x})^3 \left(\frac{1}{\mathbf{x}}\right) + 15(\mathbf{x})^4 \left(\frac{1}{\mathbf{x}^2}\right) + 20(\mathbf{x})^3 \left(\frac{1}{\mathbf{x}^3}\right) + 15(\mathbf{x})^2 \left(\frac{1}{\mathbf{x}^4}\right) + 6(\mathbf{x}) \left(\frac{1}{\mathbf{x}^5}\right) + \frac{1}{\mathbf{x}^6} \\ &= x^6 + 6x^4 + 15x^2 + 20 + \frac{15}{x^2} + \frac{6}{x^4} + \frac{1}{x^6} \end{split}$$