# CHEMISTRY STUDY MATERIALS FOR CLASS 12 (NCERT INTEXT QUESTIONS—ANSWERS)

### GANESH KUMAR DATE: 09/07/2020

#### THE P-BLOCK ELEMENTS

Question 1: Why are pentahalides more covalent than trihalides?

Solution 1: In pentahalides, the oxidation state is +5 and +3oxidation state in trihalides.

Since the metal ion with a high charge has more polarizing power,

pentahalides are more covalent than trihalides.

Question 2: Why is BiH3 the strongest reducing agent amongst all the hydrides of Group 15 elements?

**Solution 2:** As we move down a group, the atomic size increases and the stability of the hydrides of group 15 elements decreases. Since the stability of hydrides decreases on moving from NH3 to BiH3, the reducing character of the hydrides increases on moving from NH3 to BiH3.

Question 3: Why is N2 less reactive at room temperature?

**Solution 3:** The two N atoms in N2 are bonded to each other by very strong triple covalent bonds. The bond dissociation energy of this bond is very high. As a result, N2 is less reactive at room temperature.

Question 4: Mention the conditions required to maximize the yield of ammonia.

**Solution 4:** Ammonia is prepared using the Haber's process. The yield of ammonia can be maximized under the following conditions:

(i) High pressure (200atm) (ii) A temperature (700 K)

Question 6: What is the covalence of nitrogen in N2O5?

Solution 6:

From the structure of  $N_2O_5$ , it is evident that the covalence of nitrogen is 4.

Question 7: Bond angle in  $PH_4^{+1}$  is higher than that in  $PH_3$  Why?

Solution 7: In  $PH_3$ , P is  $sp^3$  hybridized. Three orbitals are involved in bonding with three hydrogen atoms and the fourth one contains a lone pair. As lone pair-bond pair repulsion is stronger than bond pair-bond pair repulsion, the tetrahedral shape associated with  $sp^3$  bonding is changed to pyramidal.  $PH_3$  combines with a<sub>4</sub>proton to form in which the lone pair  $PH_4^{+1}$  is absent.

Due to the absence of lone pair in  $PH_4^{+1}$  there is no lone pair-bond pair repulsion. Hence, the bond angle in  $PH_4^{+1}$  is higher than that in  $PH_3$ .

- Question 8: What happens when white phosphorus is heated with concentrated *NaOH* solution in an inert atmosphere of *CO*<sub>2</sub> ?
- **Solution 8:** White phosphorous dissolves in boiling *NaOH* solution (in a *CO*<sub>2</sub> atmosphere) to give phosphine, *PH*<sub>3</sub>

$$P_4 + 3NaOH + 3H_2O \longrightarrow PH_3 + 3NaH_2 PO_2$$

Phosphine Sodium hypophosphine

Question 9: What happens when PCI<sub>5</sub> is heated?

Solution 9: All the bonds that are present in *PCI*<sub>5</sub>, are not similar. It has three equatorial and two axial bonds. The equatorial bonds are stronger than the axial ones. Therefore, when *PCI*<sub>5</sub>, is heated strongly, it decomposes to form *PCI*<sub>3</sub>

Question 10: Write a balanced equation for the hydrolytic reaction of *PCI*<sub>5</sub>, in heavy water

Solution 10: 
$$PCI_5 + D_2O \longrightarrow POCI_3 + 2DCI_2$$
  
 $CI_3 + 3D_3O \longrightarrow D_3 PO_4 + 3DCI$ 

Therefore, the net reaction can be written as

$$POCl_5 + 4D_3O \longrightarrow D_3 PO_4 + 5DCl$$

Question 11: What is the basicity of H<sub>3</sub> PO<sub>4</sub>?

#### Solution 11: H<sub>3</sub> PO<sub>4</sub>

Since there are three replaceable OH groups present in, *H*<sub>3</sub> *PO*<sub>4</sub> its basicity is three i.e., it is a tribasic acid.

#### Question 12: What happens when H<sub>3</sub> PO<sub>3</sub> is heated?

**Solution 12:** *H*<sub>3</sub> *PO*<sub>3</sub> , on heating, undergoes disproportionation reaction to form *PH*<sub>3</sub> and *H*<sub>3</sub> *PO*<sub>4</sub> . The oxidation numbers of P in *H*<sub>3</sub> *PO*<sub>3</sub>, *PH*<sub>3</sub> and *H*<sub>3</sub> *PO*<sub>4</sub> are +3, -3, and +5 respectively. As the oxidation number of the same element is decreasing and increasing during a particular reaction, the reaction is a disproportionation reaction

$$4 H_3 PO_3 \longrightarrow 3 H_3 PO_4 + PH_3$$

Orthophosphorous acid Orthophosphoric acid Phosphine

(+3) (+5) (-3)

#### Question 13: List the important sources of sulphur.

**Solution 13**: Sulphur mainly exists in combined form in the earth's Crust primarily as sulphates [gypsum (*CaSO*<sub>4</sub>, 2*H*<sub>2</sub>*O*), Epsom salt (*MgSO*<sub>4</sub>, 7*H*<sub>2</sub>*O*), baryte blends (*ZnS*) copper pyrites (*CuFeS*<sub>2</sub>) *BaSO*<sub>4</sub> and sulphides (galena (*PbS*), zinc.

## Question 14: Write the order of thermal stability of the hydrides of Group 16 elements.

**Solution 14:** The thermal stability of hydrides decreases on moving down the group. This is due to a decrease in the bond dissociation enthalpy (H-E) of hydrides on moving down the group.

Therefore, Thermal stability decreases H<sub>2</sub>O >H<sub>2</sub>S >H<sub>2</sub>Se> H<sub>2</sub>Te> H<sub>2</sub>Po

\*\*\*\*\*\*