



VIDYA BHAWAN BALIKA VIDYAPITH

SHAKTI UTTAN ASHRAM, LAKHISARAI

INFORMATION TECHNOLOGY FOR CLASS 12

(Study materials based on N.C.E.R.T)

RAUSHAN DEEP

DATE:-06/10/2020(TUESDAY)

INTRODUCTION TO PROGRAMS AND JAVA

1. Conditional Operator (?:)

- Conditional operator is also known as the ternary operator. This operator consists of three operands and is used to evaluate Boolean expressions.
- The goal of the ternary operator is to decide which value should be assigned to the variable.
- The syntax for ternary operator is,

Variable X = (expression) ? Value if true : value if false

Example:

```
Public class Test
{
Public static void main (string args [ ] )
{
Int a, b;
A = 10;
B= (a == 1) ? 20:30;
    System.out.println("value of b is : "+ b);
B= (a == 10) ? 20:30;
    System.out.println("value of b is : "+ b);
}
}
OUTPUT: - Value of b is : 30
Value of b is : 20
```

2. Bitwise Operators:

- ❖ Java defines several bitwise operators, which can be applied to the integer types, long, int, short, char, and byte. Bitwise operator works on bits and performs bit-by-bit operation.
- ❖ Assume if a = 60; and b = 13; now in binary format they will be as down the table and its operation:

A = 0011 1100

B = 0000 1101

A & b = 0000 1100

A|b = 0011 1101

A^b = 0011 0001

~a = 1100 0011

- ❖ The following table lists bitwise operators: assume integer variable A holds 60 and variable B holds 13.

Sr. No.	Operator	Description	Example
1.	& (Binary And Operator)	Copies a bit to the result if it exists in both operands.	(A & B) will give 12 which is 0000 1100
2.	(Binary OR operator)	Copies a bit if it exists in either operand	(A B) will give 61 which is 0011 0001
3.	^ (Binary XOR operator)	Copies the bit if it is set in one operand but not both	(A ^ B) will give 49 which is 0011 0001
4.	~ (Binary Ones(1's) Complement Operator)	Unary and has the effect of flipping bits.	(~A) will give -61 which is 1100 0011 in 2's complement form due to a signed binary number.
5.	<< (Binary left Shift Operator)	The left operands value is moved left by the number of bits specified by the right operand	A << 2 will give 240 which is 1111 0000
6.	>> (Binary Right Shift Operator)	The left operands value is moved right by the number of bits specified by the right operand	A >> 2 will give 15 which is 1111
7.	>>> (Shift right zero fill operator)	The left operands value is moved right by the number of bits specified by the right operand and shifted by the right operand and shifted values are filled up with zeroes.	